

FLUTED MICRO BRONZE SILVERED

PRODUCT INFORMATION

Fluted Micro Bronze Silvered Architectural Cast Glass. Included in Nathan Allan's exclusive Freeform Series, Fluted Micro Bronze Silvered Glass is one of 6 new "texture less" kiln formed glass designs. Texture-less designs are a first in our industry, and exclusively created by Nathan Allan. Inspired by ancestral Architecture, Fluted Micro Bronze Silvered is in our family of Linear Architectural patterns. Free-forming Flutes are created within this design, each at 1/8" (3mm) wide. Each flute is separated by a thin, continuous crease, which helps to define the individual flutes. The front convex surface of each flute provides an interesting 3-Dimensional design and privacy effect within this elegant linear design.



STANDARD MAXIMUM PANEL SIZE – Single layers of tempered glass

1/4" Glass – 4'0 x 9'0 (6mm glass – 1219mm x 2743mm)
 3/8" Glass – 3'0 x 8'0 (10mm – 914mm x 2438mm) – Custom sizes available up to 5'0 x 10'0 (1500mm x 3000mm) – Extra Charges Apply
 1/2" Glass – 2'6 x 8'0 (12mm – 762mm x 2438mm) – Custom sizes available up to 5'0 x 10'0 (1500mm x 3000mm) – Extra Charges Apply

STANDARD MAXIMUM PANEL SIZE – Double layers of laminated glass

1/2" Glass – 4'0 x 9'0 (12mm glass – 1219mm x 2743mm)
 5/8" Glass – 5'0 x 10'0 (15mm glass – 1524mm x 3048mm)

PANEL THICKNESS	1/4"	3/8"	1/2"
	6 MM	10 MM	12 MM
Clear	•	•	
Low Iron	•	•	
Black	•	•	
Bronze	•	•	
Edgework	Machine flat polished		
Safety	Tempered, Laminated		
Cleaning	Our glass products can be cleaned with liquid cleaners and paper towels, or soft clothes. Liquid cleaners without ammonia will help reduce streaks on the glass. Avoid all abrasive cleaning materials. Water and moisture should not come in contact with the glass edges or silvered backing.		
Flat Margins	Outside Vertical Edges – from 1/4" to 3/4" (6mm to 19mm). Interior Vertical Edges – 1/8" to 1/4" (4mm to 6mm). Top & Bottom Edges – 1/4" to 3/4" (6mm to 19mm)		
Pattern Details	Individual Flutes are 1/8" (3mm) wide. Back surface is flat. Flutes can run in vertical or horizontal direction.		



FLUTED MICRO GLASS PROFILE, SECTION VIEW

FLUTED MICRO GLASS TOP | BOTTOM SECTION VIEW



flat margin A – produced on the outside Vertical edge of panel, where glass is inserted into channel or molding. Outside flat margins will typically range from 1/4" to 3/4" wide

back face


flat margins B + C – produced on the inside Vertical edges of panels, where panels are installed side x side. Inside flat margins will typically be 1/8" wide or less

D – indicates thickness of flat section of glass

E – indicates overall pattern thickness of glass

(Pattern thickness depth can vary slightly, from 1/32" to 1/16", on some panels)

FLUTED MICRO GLASS TOP | BOTTOM SECTION VIEW



flat margin A – produced on the outside Vertical edge of panel, where glass is inserted into channel or molding. Outside flat margins will typically range from 6 mm to 19 mm wide

back face

flat margins B + C – produced on the inside Vertical edges of panels, where panels are installed side x side. Inside flat margins will typically be 3 mm wide or less

D – indicates thickness of flat section of glass

E – indicates overall pattern thickness of glass

(Pattern thickness depth can vary slightly, from 1/32" to 1/16", on some panels)